ALWAYS THE BEST **PROTECTION PROFILES**



MPM
PLASTIC PROTECTIONS

SEPTEMBER 2019



MPM
PLASTIC PROTECTIONS

PRESENTS **NEW MATERIAL**

REFLEX
RESISTANT AND FLEXIBLE




CONTENTS

REFLEX RESISTANT AND FLEXIBLE page 02

01	Rack Protection	page 08
02	Bollard	page 16
03	Guard Rails	page 20
04	Cold Line	page 26
05	Pedestrian Safety Barriers	page 32
06	Doors	page 38
07	Link	page 44
08	Column Protection	page 52
09	Corner Protection	page 58
10	Kerb	page 60
11	Wall Protection	page 64


REFLEX RESISTANT AND FLEXIBLE / IMPACT TEST

OUR **PENDULUM MACHINE** FOR CRASH REPORTS



RESEARCH AND DEVELOPMENT

CUSTOMISED PROJECT MANAGEMENT SERVICE





REFLEX
RESISTANT AND FLEXIBLE

/ OUR MATERIAL



FIRE CLASS V0, SELF-EXTINGUISHING, NON-FLAME SPREAD MATERIAL

FOR FLEXIBLE BARRIER

PROTECTION ARE THE BEST CHOICE IN COMPARISON TO METAL OR OTHER MATERIALS

	MPM PLASTIC PROTECTIONS	METAL	PE/PP	WOOD
EASY CLEANING	●●●●●	●●●●○	●●○○○	○○○○○
SCRATCHES	●●●●●	●●●○○	●●●○○	●○○○○
FLEXIBILITY	●●●●●	●○○○○	●●●●●	●●○○○
SHOCK ABSORBER	●●●●●	○○○○○	●●●●○	●●○○○
FAST INSTALLATION	●●●●●	●●●●●	●●●○○	●●●●○
SAVE SPACE	●●●●○	●●●●●	●●○○○	●●●○○
FIRE RESISTANT	●●●●○	●●●●●	○○○○○	○○○○○
LONG LASTING	●●●●●	●●●●●	●●●○○	●●○○○

NEWS

RESEARCH AND DEVELOPMENT NEVER STOP!

AVAILABLE
FOR:
LM / PED 150

ORANGE LINE



DOCK GATE



NEW!

DO IT YOURSELF!

GENIUS

THE LENGTH THAT YOU WISH




FOR YOUR
PEDESTRIAN BARRIERS

FOR YOUR
HUG TOWER

WORLD'S UNIQUE SYSTEM!

ADAPT THE LENGTH OF HORIZONTAL RAILS UP TO YOUR NEEDS

CUT THE RAIL AND **DRILL** IT WITH GENIUS



HERE YOU ARE!

YOUR CUSTOMIZED BARRIER AND HUG TOWER!

01

RACK PROTECTION

OUR PROFILES FIT ALL RACKS






Full range of techno polymer profiles for protection of warehouse racks.

Gamma completa di profili in tecnopolimeri per la protezioni di scaffali.


Complète gamme de profilés en tecnopolimère pour la protection d'étagères de depôts.

Gama completa de perfiles de tecnopolímeros para las protecciones de estanterías.



EASY TO INSTALL

THE ONLY ONE WITH TRIPLE SHOCK ABSORBER



TÜV SÜD



RPS 600

60 80

ANTISHOCK MATERIAL INSIDE

Available also size 400

Packing 6 pz / box
Packing 114 pz / big parcel
Colour M






RPM 600


80 100

ANTISHOCK MATERIAL INSIDE

Available also size 400

Packing 4 pz / box
Packing 80 pz / big parcel
Colour M






RPL 600


100 120

ANTISHOCK MATERIAL INSIDE

Available also size 400

Packing 2 pz / box
Packing 54 pz / big parcel
Colour M





RPL XL 600

100 120

ANTISHOCK MATERIAL INSIDE

Available also size 400


Packing to be defined
Colour M





RP CLICK

Packing 1 pz / box





RPF 600

60 130


FLEXIBLE

Equipped with accessories

Packing 2 pz / bag
Colour M

Axle spacing
25 - 50 - 75 mm





RACK CORNER

Equipped with accessories

Packing to be defined
Colour M



Rack end Barriers

SM

LIGHT LOAD / FOR HANDPALLET TRUCKS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL




M12
GALVANISED STEEL



SM 1500x400 MODULAR

Packing **unpacked on pallet**
Colour B M

Equipped with accessories






SM 1100x400

Length **1.100**
Packing **unpacked on pallet**
Colour B M

Equipped with accessories






LM

HEAVY LOAD / FOR FORKLIFTS

TÜV SÜD

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL




M12
GALVANISED STEEL



LM 2000x500 MODULAR

Equipped with accessories

Packing **unpacked on pallet**
Colour B M






LM 1100x500
LM 2400x500

Equipped with accessories

Length **1.100 / 2.400 mm**
Packing **unpacked on pallet**
Colour B M





FENCE 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL






M12
GALVANISED STEEL



FE 90 1100x350

Equipped with accessories

Length 1.100 mm
Packing unpacked on pallet
Colour B M






FE 90 2400x350

Equipped with accessories

Length 2.400 mm
Packing unpacked on pallet
Colour B M





FENCE 150

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL





M12
GALVANISED STEEL



FE 150 1100x550

Equipped with accessories

Length **1.100 mm**
Packing **unpacked on pallet**
Colour B M





FE 150 2400x550

Equipped with accessories

Length **2.400 mm**
Packing **unpacked on pallet**
Colour B M





FENCE 150 REINFORCED

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL





M12
GALVANISED STEEL



FE 150 REF 1100x550

Length **1.100 mm**
Packing **unpacked on pallet**
Colour B M

Equipped with accessories






FE 150 REF 2400x550

Length **2.400 mm**
Packing **unpacked on pallet**
Colour B M

Equipped with accessories





FENCE LINK

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL






M12
GALVANISED STEEL



FE LINK 1100x550

Length **1.100 mm**
Packing **unpacked on pallet**
Colour B M

Equipped with accessories






FE LINK 2400x550

Length **2.400 mm**
Packing **unpacked on pallet**
Colour B M


Equipped with accessories





02 BOLLARD

Designed to protect access to gates or big doors from huge traffic or simply to mark restricted areas for pedestrians.
Fully equipped with fixing accessories.



Ideato per proteggere l'accesso a cancelli o portoni dalla movimentazione di mezzi pesanti o semplicemente per impedire l'ingresso di pedoni. Provvisto di accessori di fissaggio.

Etudié pour proteger
l'acces aux portes ou entrées
de grand trafic ou simplement
pour marquer les zones
de passage piétons.
Equipé avec les accessoires
d'installation.

Diseñado para proteger
el acceso a puertas o portones
del movimiento de vehículos
pesados o simplemente para
evitar la entrada de peatones.
Provisto de accesorios
de fijación.



GRD 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

FAST AND EASY TO INSTALL






M12
GALVANISED STEEL



GRD 90 250

Equipped with accessories

Packing **unpacked on pallet**
Colour B M






GRD 150

HEAVY LOAD / FOR FORKLIFTS

FAST AND EASY TO INSTALL

TÜV SÜD *






M12
GALVANISED STEEL



GRD 150 * 500
800
1150

Equipped with accessories

Packing **unpacked on pallet**
Colour B M





03

GUARD RAILS

A new bumper system specific for the protection of the walls resistant against trolleys movements. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different lengths.

Sistema profili antiurto specifico per la protezione delle pareti dai carrelli in movimento. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibile in diverse lunghezze.

Nouveau système bumper, spécifique pour protéger les murs contre les mouvements des charriots. Etudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents longueurs.

Sistema de perfiles anti-impacto específico para la protección de las paredes de los carros en movimiento. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes longitudes.



TRUCK LINE

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST





M20
STAINLESS STEEL



TL

500	2000
750	3000
1000	4000
1500	

Equipped with accessories

Packing **to be defined**
Colour B M






GUARD RAIL 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

QUICK INSTALLATION WITH EXPANSION SCREW



M16
GALVANISED STEEL



ALTERNATIVE FIXING
HIGH RESISTANCE WITH RESIN

M16
STAINLESS STEEL




GR 90 500 / 750 / 1000 / 1500

Equipped with accessories

Length 500 mm
Packing 4 pz / box

Length 750 / 1000 / 1500 mm
Packing 2 pz / box

Colour B M






GR 90 2000 / 3000 / 4000

Equipped with accessories

Length 2.000 / 3.000 / 4.000 mm
Packing 2 pz / box
Colour B M







GUARD RAIL 150

HEAVY LOAD / FOR FORKLIFTS

HIGH RESISTANCE WITH RESIN



M20
STAINLESS STEEL






GR 150 500
750
1000
1500

Length 500 / 750 / 1000 / 1500 mm
Packing unpacked on pallet
Colour B M

Equipped with accessories






GR 150 2000
3000
4000

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M


Equipped with accessories





GRIN 90

LIGHT LOAD / FOR HANDPALLET TRUCKS




M12
GALVANISED STEEL



GRIN 90 1500

Length **1500 mm**
Packing **to be defined**
Colour M





GRINCO 90

Packing **to be defined**
Colour M

Equipped with accessories






GRINT 90

Packing **to be defined**
Colour M

Equipped with accessories





GRIN 150

HEAVY LOAD / FOR FORKLIFTS

TÜV SÜD

HIGH RESISTANCE PERFORMANCE




M12
GALVANISED STEEL



GRIN 150 2000

Length **2000 mm**
Packing **to be defined**
Colour M






GRINCO 150

Packing **to be defined**
Colour M

Equipped with accessories






GRINT 150

Packing **to be defined**
Colour M

Equipped with accessories





04 COLD LINE

Specific solutions for the protection of areas at risk of impact, in environments with negative temperature. They are suitable to protect corners, entrances, gates, panels and cold rooms walls.



Soluzioni specifiche per la protezione di zone a rischio d'impatto in ambienti a temperatura negativa.
Ideali per proteggere angoli sporgenti, accessi e portoni, pannelli e pareti di celle frigorifere.

Solutions spécifiques pour la protection des zones à risque de collision dans les environnements à température négative.
Idéal pour protéger les angles, les entrées et les portes, les panneaux et les murs des chambres froides.

Soluciones específicas para proteger las zonas con riesgo de impacto en entornos de temperatura negativa.
Son ideales para proteger esquínas, entradas y puertas, paneles y paredes de las cámaras frigoríficas.



RESISTANT TO LOW TEMPERATURES

-20°

ROD 70

LIGHT LOAD / FOR HANDPALLET TRUCKS

RE EASY TO REMOVE AND TO REPLACE

ANCHOR

-20°

RESISTANT TO LOW TEMPERATURES





M20
GALVANISED STEEL

Fixing accessory available also in stainless steel




ROD PE 70 266 RE

Drill Ø 38

Equipped with accessories

Packing 6 pz / box

Colour C





ROD 120

HEAVY LOAD / FOR FORKLIFTS

RE EASY TO REMOVE AND TO REPLACE

ANCHOR

-20°
RESISTANT TO LOW TEMPERATURES





M30
GALVANISED STEEL


Fixing accessory available also in stainless steel



ROD PE 120 433 RE
560 RE

Drill Ø 56
Equipped with accessories

Packing **1 pz / bag**
Colour M





ROD FLOOR 70

LIGHT LOAD / FOR HANDPALLET TRUCKS

QUICK INSTALLATION WITH EXPANSION SCREW



M16
GALVANISED STEEL




-20°
RESISTANT TO LOW TEMPERATURES



RF 70 500 / 1000 / 1500

Equipped with accessories

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M






RF 70 2000 / 3000

Equipped with accessories

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M







ROD FLOOR 120

HEAVY LOAD / FOR FORKLIFTS

HIGH RESISTANCE WITH RESIN



M20
STAINLESS STEEL




-20°
RESISTANT TO LOW TEMPERATURES



RF 120 500 / 1000 / 1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories



RF 120 2000 / 3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



05

PEDESTRIAN SAFETY BARRIERS

A new protection system specific for the protection of pedestrians and resistant to trolleys movements with different load types. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different lengths.

Sistema di profili antiurto specifico per la protezione delle aree pedonali dai carrelli in movimento con diverse portate di carico. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibile in diverse lunghezze.

Nouveau système bumper, spécifique pour protéger les zones piétonnes contre les mouvements des charriots. Etudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents longueurs.


Sistema específico de perfiles antichoque para la protección de zonas peatonales de carros en movimiento con diferentes. capacidades de carga. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes longitudes.



HAND RAIL 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

FAST AND EASY TO INSTALL



M12
GALVANISED STEEL




HR 90 1500x1150 MODULAR

Equipped with accessories

Packing unpacked on pallet
Colour M






HR 90 1500x1150 CORNER

Equipped with accessories

Packing unpacked on pallet
Colour M





PEDESTRIAN 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

FAST AND EASY TO INSTALL




M12
GALVANISED STEEL



PED 90 1500x1150 MODULAR

Equipped with accessories

Packing unpacked on pallet
Colour B M






PED 90 1500x1150 CORNER

Equipped with accessories

Packing unpacked on pallet
Colour B M





PEDESTRIAN 150

HEAVY LOAD / FOR FORKLIFTS

FAST AND EASY TO INSTALL




M12
GALVANISED STEEL



PED 150 2000x1150 MODULAR

Equipped with accessories

Packing unpacked on pallet
Colour B M






PED 150 2000x1150 CORNER

Equipped with accessories

Packing unpacked on pallet
Colour B M





PEDESTRIAN 90 REINFORCED




M12
GALVANISED STEEL



PED 90 REF MODULAR

Equipped with accessories

Packing **unpacked on pallet**
Colour B M





PEDESTRIAN 150 REINFORCED LINK

HEAVY LOAD / FOR FORKLIFTS

FAST AND EASY TO INSTALL



M12 GALVANISED STEEL




PED 150 REF LINK

Equipped with accessories

Packing **unpacked on pallet**

Colour B M





06 DOORS

Safety gate system with different opening possibilities, ideated to be installed on our pedestrian barriers. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different opening systems.

Sistema di cancelli antiurto ideati per l'installazione nelle nostre barriere di protezione per aree pedonali. Progettati seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibili molteplici sistemi di apertura.

Système de portillons résistant aux chocs étudié pour l'installation de nos barrières de protections pour les zones piétons.Portillons conçus suivant un design innovant qui combine rapidité et simplicité pendant le montage et le nettoyage. Différents systèmes d'ouvertures disponibles.

Sistema de puertas antigolpe diseñadas para la instalación de nuestras barreras de protección para áreas peatonales. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Están disponibles varios sistemas de apertura.




FULL FRAME

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL

OPTION:
WALL FIXING ACCESSORIES



NEW
BIGGER PLATES!

M16
STAINLESS STEEL




DOOR PEDESTRIAN 90

DIFFERENT SIZES ON REQUEST

NEW **SWING** OPENING







DP 90 ONE WAY

Equipped with accessories

Packing **to be defined**
Colour M







DP 90 SWING

Equipped with accessories

Packing **to be defined**
Colour M






DP 90 SWING DOUBLE

Equipped with accessories

Packing **to be defined**
Colour M






DOOR PEDESTRIAN 150

DIFFERENT SIZES ON REQUEST

NEW **SWING** OPENING







DP 150 ONE WAY

Equipped with accessories

Packing **to be defined**
Colour M







DP 150 SWING

Equipped with accessories

Packing **to be defined**
Colour M






DP 150 SWING DOUBLE

Equipped with accessories

Packing **to be defined**
Colour M






LIFT GATE 90

DIFFERENT SIZES ON REQUEST


NEW



LIFT GATE 90 DOUBLE

x2

DOUBLE GATE






LIFT GATE 90

Equipped with accessories

Packing to be defined
Colour M






LIFT GATE 90 DOUBLE

Equipped with accessories

Packing to be defined
Colour M





LIFT GATE 150


DIFFERENT SIZES ON REQUEST


NEW

LIFT GATE 150 DOUBLE

x2

DOUBLE GATE








LIFT GATE 150

Equipped with accessories

Packing **to be defined**
Colour M






LIFT GATE 150 DOUBLE

Equipped with accessories

Packing **to be defined**
Colour M





07 LINK

The first adaptable barrier in the world thanks to the new connection system. Rail adjustable height, easy to set up, higher resistance in the most critical points.

Prima barriera al mondo regolabile a piacimento con nuovo sistema di raccordo. Altezza regolabile, facilmente componibili e resistenza potenziata nei punti piu' critici.

Première barrière au mond à modifier aux besoins avec un nouveau système de jonction. Hauteur à changer, facile à assembler et resistance reinforcée aux points plus compliquès.

Primera barrera del mundo ajustable según lo necesario con un nuevo sistema de ajuste. Altura ajustable, fácilmente componibles y resistencia potenciada en los puntos más críticos.

NEW PRODUCT



ADAPTABLE HEIGHT ↕ ON YOUR NEEDS



LINK 150/3


HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST






M12
GALVANISED STEEL




LINK 150/3

Equipped with accessories

Packing unpacked on pallet
Colour M






LINK 150/3 CORNER

Equipped with accessories

Packing unpacked on pallet
Colour M






LINK 150/2


HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST






M12
GALVANISED STEEL



LINK 150/2

Equipped with accessories

Packing **unpacked on pallet**
Colour M






LINK 150/1


HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST






M12
GALVANISED STEEL



LINK 150/1

Equipped with accessories

Packing **unpacked on pallet**
Colour M





LINK LM

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST




M12
GALVANISED STEEL




LINK LM 500 800

Equipped with accessories

Packing unpacked on pallet
Colour M






LINK LM CORNER

Equipped with accessories

Packing unpacked on pallet
Colour M







LINK SINGLE

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST




M12
GALVANISED STEEL




LINK SINGLE 500 800

Equipped with accessories

Packing unpacked on pallet
Colour M






LINK SINGLE CORNER

Equipped with accessories

Packing unpacked on pallet
Colour M





/ REMOVABLE PLATE

NOW READY
NEW OPTIONS FOR
OUR **SAFETY BARRIERS**
AND **RACK PROTECTORS**







/ REMOVABLE PLATE

AVAILABLE FOR:

LINK / SM / LM / FENCE

HR 90 / PED 90 / PED 150







08

COLUMN PROTECTION

A new bumper system specific for the protection of the columns resistant against trolleys movements and for different load types. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different heights and fixing systems.



Sistema di profili specifico per la protezione delle colonne dai carrelli in movimento di varie portate. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nella fasi di installazione e pulizia. Disponibile in diverse altezze e tipologie di fissaggio.

Nouveau système bumper, spécifique pour protéger les pouteaux contre lem mouvements des chariots. Etudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents hauteurs et différents fixations.

Sistema de perfiles específico para la protección de las columnas de los carros en movimiento de diferentes capacidades. Diseñado según un innovador diseño técnico que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes alturas y tipos de fijación.




- REMOVABLE
- NO SCRATCHES
- VERY SOLID AND SLIM DESIGN
- NOT FIXED TO THE COLUMN

COLUMN PROTECTION 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

DIFFERENT SIZES ON REQUEST




M16
STAINLESS STEEL




COPRO 90 500x500
600x600
700x700

Equipped with accessories

Packing **unpacked on pallet**
Colour M






COLUMN PROTECTION 150

HEAVY LOAD / FOR FORKLIFTS



DIFFERENT SIZES ON REQUEST




M20
STAINLESS STEEL



COPRO 150 500x500
600x600
700x700

Equipped with accessories

Packing **unpacked on pallet**
Colour M






HUG TOWER


HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZED AND HEIGHT ON REQUEST

COMPACT



CHOOSE THE HEIGHT YOU NEED!
UP TO 5 RAILS






NO HOLES
ON THE FLOOR AND COLUMN!



HUG TOWER 500x500
600x600
700x700

Packing to be defined
Colour M

Equipped with accessories





TOWER PROTECTION

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST






M12
GALVANISED STEEL



TOWER 500x500
600x600
700x700

Equipped with accessories

Packing **to be defined**
Colour M







09

CORNER PROTECTION

Designed to protect pillars and columns or external corners of walls and panels.

Realizzato per proteggere pilastri e colonne o angoli esterni di muri e pannelli.

Etudié pour protéger les poteaux et les colonnes ou les angles extérieurs de murs et de panneaux.


Realizado para proteger pilares y columnas o esquinas exteriores de paredes y paneles.



CP 100

Length 4.000 mm
Packing 10 pz / box
Colour B M E F

Length 2.000 mm
Packing 2 pz / bag
Colour M





CPF 100

Length 4.000 mm
Packing 10 pz / bag


Length 2.000 mm
Packing 2 pz / bag






CPT 100

Packing 40 pz / box
Colour B E F





CP 200

Length 4.000 mm
Packing 2 pz / bag
Colour B M E

Length 2.000 mm
Packing 2 pz / bag
Colour M





CPF 200


Length 2.000 / 4.000 mm
Packing 2 pz / bag





CPT 200

Packing 20 pz box
Colour B E





10 KERB


A large size protection system, ideal for walls and panels. Easy to install and clean. Fully equipped with corner caps and buttons.



Sistema di protezione di grandi dimensioni,
ideale per muri e pannelli. Facile da installare e pulire
Completo di angolari e tappi.

Système de protection
de grands dimensions, idéal
pour les murs et les panneaux.
Facile à installer et à nettoyer.
Complété de bouchons
d'angles et d'embouts.

Sistema de protección
de grande dimensión,
ideal para paredes
y paneles. Fácil de instalar
y limpiar. Completo de
esquinas y tapas.




Kerb



KS 200

Length 4.000 mm
Packing 3 pz / box
Colour B M E






KEPF 200

To install with TB14

Packing 50 pz / box
Colour K







KSJ 200

To install with TB14 / TF14

Packing 20 pz / box
Colour B E







KSI 200

To install with TB14 / TF14

Packing 20 pz / box
Colour B E






KSE 200

To install with TB14 / TF14

Packing 20 pz / box
Colour B E






KSTDX/SX 200

To install with TB14 / TF14

Packing 20 pz / box
Colour B E






KSJ 200 LT

THERMAL BREAK RESISTANT

Packing to be defined
Colour K





KS 300

Length 4.000 mm
Packing 1 pz
Colour M E






KEPF 300

To install with TB20

Packing 40 pz / box






KSJ 300

To install with TB20 / TF20

Packing **10 pz / box**
Colour B E






KSI 300

To install with TB20 / TF20

Packing **10 pz / box**
Colour B E






KSE 300

To install with TB20 / TF20

Packing **10 pz / box**
Colour B E






KSTDX/SX 300

To install with TB20 / TF20

Packing **10 pz / box**
Colour B E





7.1

WALL PROTECTION

New bumper without guides. Thanks to its big size and resistance it is ideal for protection of industrial spaces. Fixed caps with hidden screws covered by specific buttons.

Nuovo profilo antiurto senza guida. La sua ampiezza e resistenza lo rende ideale per la protezione di ambienti industriali. Terminali fissati con viti nascoste da appositi bottoni.


Nouveau profilé anti-choc sans besoin d'une base à fixer. Sa mesure large et sa résistance en font le profilé parfait pour la protection des espaces industriels. Embouts fixés avec des vis cachées grâce à des bouchons spécifiques.

Nuevo perfil antigolpe sin guía. Su amplitud y resistencia lo hacen ideal para la protección de entornos industriales. Terminales fijados con tornillos ocultos por botones especiales.












WP 100


Length **4.000 mm**
Packing **8 pz / box**
Colour B E F





WP 150

Length **4.000 mm**
Packing **4 pz / box**
Colour B M E






WPC

To install with WP 100 / WP 150

Length **4.000 mm**
Packing **16 pz / box**
Colour A B M D E F G H




Wall Protection



WPT 100

To install with TM5

Packing **50 pz / box**
Colour B E F






WPA 100

To install with TS9

Packing **20 pz / box**
Colour B E






WPT 150

To install with TM5

Packing **50 pz / box**
Colour B E






WPA 150

To install with TS9

Packing **20 pz / box**
Colour B E






WPCS

To install with WP 100 / WP 150

Length **4.000 mm**
Packing **8 pz / box**
Colour A B M D E F G H I






WPTS 100

To install with TS9

Packing **20 pz / box**
Colour B E






WPAS 100

To install with TS9

Packing **20 pz / box**
Colour B E






WPTS 150

To install with TS9

Packing **20 pz / box**
Colour B E







WPAS 150

To install with TS9

Packing **20 pz / box**
Colour B E





ASP 200

SOFT

Length **4.000 mm**
Packing **2 pz / box**
Colour B M






ASPT 200

SOFT

Packing **10 pz / box**
Colour B D





ASA

Material **aluminium**
Length **4.000 mm**
Packing **8 pz / bundle**






ASCO

SOFT

Packing **2 pz / box**
L = 32.000 mm
Colour A B M D G





NEWS



LOFT BARRIER

WORLD'S FIRST FIXED PROTECTION SYSTEM FOR SUSPENDED AREAS



FENCE LINK

THE ADAPTABLE STRONGEST SOLUTION FOR RACK-ENDS



Now available
CUSTOMISED RACK PROTECTOR,
new version of **rack protector**
processed upon request!

CUSTOMISED **RACK PROTECTOR**



TM5
Hole required Ø 8.5
Neutral polyethylene. 100/500 Pcs. / bag.



TS9
Hole required Ø 5
White or grey nylon. 1000 Pcs. / bag.



TB14
Hole required Ø 4
Steel / aluminium, white. 500 Pcs. / box.



TF14
Hole required Ø 5
Aluminium. 500 Pcs. / box.



TB20
Hole required Ø 5
Steel / aluminium. 500 Pcs. / box.




TF20
Hole required Ø 6.5
Aluminium. 500 Pcs. / box.



M12
HILTI ANCHOR BOLT
Hole required Ø 12
Galvanized steel. 25 Pcs. / box.





S12
HILTI ANCHOR BOLT
Hole required Ø 10
Galvanized steel. 20 Pcs. / box.



B12
HILTI INSERT
Hole required Ø 18
Galvanized steel. 10 Pcs. / box.



B16
HILTI INSERT
Hole required Ø 22
Galvanized steel. 10 Pcs. / box.



B20
HILTI INSERT
Hole required Ø 28
Galvanized steel. 10 Pcs. / box.



FR
HILTI CHEMICAL ANCHOR
300 ML

Colours

A	B	D	E	F	G	H	I	K	L	M
RED RAL 3002	GREY RAL 7040	BLACK RAL 9005	WHITE RAL 9010	WHITE RAL 9002	BLUE RAL 5005	GREEN RAL 6029	SILVER RAL 9006	LIGHT GREY RAL 7035	DARK GREY RAL 7024	LIGHT YELLOW RAL 1018

Cleaner resistant
Cheap
Easy to clean
YES
NO
Quick assembly
Long resistance
Good thermal insulation
Shockproof
Good waterproof
Non toxic
Class V0 self-extinguishing fire resistance

MPM srl reserves the right, at any time, to introduce the necessary changes and improvements to its products.
Any small imperfection in the products and in the materials used are due to the processing method.
Any reproduction of this brochure, even in part, is forbidden.



THE WORLD'S TOP **LOGISTICS** PROFESSIONALS CHOOSE OUR **QUALITY MADE IN ITALY**

MPM
PLASTIC PROTECTIONS



SOME OF OUR REFERENCES

MPM PLASTIC PROTECTIONS

DB SCHENKER

amazon

Mars

MAN

Coca-Cola Refreshments

DHL

SEAT

FCA FIAT CHRYSLER AUTOMOBILES

Frankfurt Airport

GARNIER

DSV Global Transport and Logistics

BMW

HONDA

IKEA

SIEMENS

RENAULT

Colgate

P&G

Unilever

OUR INSTALLATION























OUR INSTALLATION













ALWAYS THE BEST
PROTECTION PROFILES

CHOOSE THE BEST!

mpm
PLASTIC PROTECTIONS



EXCLUSIVE
AIRPORT LINE



FLY HIGH WITH OUR PROTECTIONS

ALWAYS **RESISTANT** / ALWAYS **FLEXIBLE**

mpm
PLASTIC PROTECTIONS

CONTACT US FOR FURTHER DETAILS!

MPM states that:

The safety coefficient and consequent use of the product requires preliminary screening by a designer who will necessarily have to take account of the actual installation conditions, considering that instructions contained in catalogues, orders, transport documents, invoices or any other documentation showing the product characteristics, should not be considered suitable to compensate for any lack of design or technical testing required for installation of the product.
In any case, it is necessary to comply with the appropriate assembling and installation instructions as defined in the technical catalogue on corporate websites (**www.mpmprotections.com**). MPM will accept no liability for the use of profiles in situations that have not been preceded by the above-mentioned checks.

Impact forces indicated in the brochure, or in other documents, refer to laboratory tests and cannot take account for consequences determined by installation modes or peculiarities of the place where the products are installed (in an operational environment vehicle type, speed and mass, routes, angles of impact, ground and anchorage are variable and uncontrolled conditions that no test can replicate); the data refers to an intact product that can be affected by alterations from incorrect maintenance and old age, as well as the methods and characteristics of installation (with specific reference to floor-mounted products like the latter); the weight, dimensions, colours and characteristics of the material refer to the sample and the conformity with the latter of the product supplied will be subject to normal production tolerance. The product may be affected by environmental installation conditions.

Protections performances can be affected in environments with temperatures below 0°C or higher than 50°C.

The fastness of the colour and its brightness depend on wear and tear and climatic conditions that can affect its intensity over time.

Images in the brochure are for advertising purposes only and do not in any way represent how the products should be used.

Full version of MPM product warranty available in the technical catalogue on corporate websites (**www.mpmprotections.com**).

MADE IN
ITALY









mpm
PLASTIC PROTECTIONS

M.P.M. s.r.l.
Via Europa 2
35010 Fratte
di S. Giustina in Colle
Padova · Italy

T +39 049 9301773
F +39 049 9300427
info@mpmpvc.com
mpmprotections.com