

COLD ROOMS AND REFRIGERATED CABINETS **PROFILES**

HYGIENIC PROFILES

FEBRUARY 2022




WE PRESENTS OUR NEW LINES AND **OUR NEW PROFILES' CREATIONS**

ALWAYS CREATED FOR YOUR NEEDS **ALWAYS THE BEST COLD SYSTEMS PROFILES**

CONTENTS

01	Guard Rails and Bollards	page 08
02	PVC Panels	page 20
03	Foamed System	page 22
04	Hermetic System	page 24
05	Standard System	page 28
06	Speed System	page 32
07	Modular System	page 36
08	Channels	page 40
09	Fixer System	page 44
10	Pillar System	page 48
11	Kerb	page 50
12	Antishock System	page 54
13	Door Frame	page 56
14	Door Leaf	page 62
15	Gaskets	page 66
16	Accessories for panels	page 70
17	Trims	page 74
18	T Suspension	page 76
19	Bumper 30	page 78
20	Bumper 50	page 80
21	Bumper 80	page 82
22	Bend 80	page 84
23	Bumper Superflex 80	page 86
24	Bumper Modular	page 88
25	Wall Protection	page 90
26	Bumper 150	page 94
27	Bumper Floor	page 96
28	Wheel System	page 100



THE COMPANY
L'AZIENDA

TURNKEY PRODUCTS ON DEMAND
Right from the customer's request the company follows project development, production through to the final product. Our technical team deals with each stage of the project, mould production and testing aimed at offering the best solutions.

MPM A GROWING COMPANY
The quality of M.P.M products is the result of combining the skills and motivation of a team with advanced materials and technologies. Dynamic, enterprising and flexible this company has been serving the plastics industry since 1985 offering extruded plastic profiles to order as well as a range of its own products.

PRODOTTI SU MISURA CHIAVI IN MANO
L'azienda segue fin dal primo stadio la realizzazione del progetto, dalla richiesta del cliente al prodotto finito. Lo staff tecnico cura le diverse fasi di progettazione, la costruzione degli stampi e il collaudo, attento a proporre le soluzioni migliori.

UN'AZIENDA IN CRESCITA
La qualità dei prodotti M.P.M. deriva dalla riuscita combinazione tra le competenze e la motivazione dell'équipe di lavoro e l'alto livello delle tecnologie e dei materiali. Dinamica, intraprendente e flessibile, l'azienda lavora dal 1985 al servizio della più esigente imprenditoria nell'impegnativo settore dell'estrusione di materie plastiche, producendo profili per conto terzi e su proprio catalogo.

CUSTOMIZED PRODUCTS
PRODOTTI PERSONALIZZATI

ALWAYS DYNAMIC, ALWAYS RELIABLE
Young yet skilled in offering turnaround solutions to satisfy the various problems this market faces, the staff at M.P.M, a team of technicians and experts motivated and qualified in their fields, combine superior quality with fast product production.

3D DESIGN
The company has invested substantially in design: advanced 3D software and product prototype development has led to a reduction in problems and errors in mould manufacturing.

SEMPRE DINAMICA, SEMPRE AFFIDABILE
Giovane ma adeguatamente preparato a risolvere con tempestività le diverse problematiche insite nel difficile settore, lo staff M.P.M. è composto da tecnici e professionisti motivati, efficienti e capaci di coniugare l'eccellenza qualitativa con la massima rapidità nell'esecuzione del prodotto.

PROGETTAZIONE 3D
L'azienda ha investito molto nel campo della progettazione: l'utilizzo di avanzati software 3D e la successiva prototipazione rapida hanno consentito la riduzione di inconvenienti ed errori nella fase di produzione dello stampo.

MPM HYGIENIC PROFILES



360° GLOBAL SERVICE
UN SERVIZIO A 360°




1 PROJECT PLAN
STUDIO PROGETTO



2 MOULD MANUFACTURING
PRODUZIONE STAMPO



3 MOULD REALIZED
STAMPO FINITO




5 PRODUCTS RANGE
GAMMA PRODOTTI



4 PROFILES MANUFACTURING
PRODUZIONE PROFILI

6 EXPORT





DETAILED SOLUTIONS
SOLUZIONI MIRATE

SOLUTIONS FOR DIFFERENT FIELDS
Thanks to the close working partnership with specialist laboratories, M.P.M develops product mixes ideal for extruding rigid, expanded, co-extruded profiles and for producing soft seals of varying hardness. The products are available with polished or matt finishes for interior and exterior use, they can be anti-shock, self-extinguishing, acid resistant satisfying requirements of a number of industries spanning from furniture, refrigeration, door and window producers to the building trade.

ABS	acrylonitrile butadiene styrene
PE	polyethylene
TPE	thermoplastic rubber
SEBS	thermoplastic rubber
PMMA	polymethyl methacrylate
PP	polypropylene
PS	polystyrene
PVC	polyvinyl chloride
PVCE	expanded foam polyvinyl chloride
PUR	polyurethane

SOLUZIONI PER OGNI SETTORE
Grazie alla collaborazione di laboratori specializzati, M.P.M. progetta le miscele di materiale più adatte all'estrusione di profili rigidi, espansi, coestrusi e di guarnizioni morbide a diversa durezza. I prodotti possono essere con finiture lucide od opache, per interni o esterni, antiurto, autoestinguenti e resistenti agli acidi, soddisfacendo in particolare le esigenze delle industrie del mobile, del freddo, del serramento e dell'edilizia.

ABS	acrilonitrile-butadiene-stirolo
PE	polietilene
TPE	gomma termoplastica
SEBS	gomma termoplastica
PMMA	polimetilmetacrilato
PP	polipropilene
PS	polistirolo-polistirene
PVC	policloruro di vinile
PVCE	policloruro di vinile espanso
PUR	poliuretano

01

GUARD RAILS AND BOLLARDS

Guard Rails è un sistema di profili antiurto specifico per la protezione delle pareti dai carrelli in movimento. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibile in diverse lunghezze.

Guard Rails is a new bumper system specific for the protection of the walls resistant against trolleys movements. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different lengths.

Guard Rails est un nouveau système bumper, spécifique pour protéger les murs contre les mouvements des charriots. Etudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents longueurs.

Bollard è ideato per proteggere l'accesso a cancelli o portoni dalla movimentazione di mezzi pesanti o semplicemente per impedire l'ingresso di pedoni. Provvisto di accessori di fissaggio.

Bollard is designed to protect access to gates or big doors from huge traffic or simply to mark restricted areas for pedestrians. Fully equipped with fixing accessories.

Bollard est etudié pour proteger l'acces aux portes ou entrées de grand trafic ou simplement pour marquer les zones de passage piétons. Equipé avec les accessoires d'installation.



ROD 70

LIGHT LOAD / FOR HANDPALLET TRUCKS

REMOVABLE EASY TO REMOVE AND TO REPLACE

-30° RESISTANT TO LOW TEMPERATURES





M20
GALVANISED STEEL


Fixing accessory available also in stainless steel



ROD 70 266

Drill Ø 38
Equipped with accessories

Packing 1 pz / box
Colour M





ROD 120

HEAVY LOAD / FOR FORKLIFTS

REMOVABLE EASY TO REMOVE AND TO REPLACE

ANCHOR

-30° RESISTANT TO LOW TEMPERATURES





M30
GALVANISED STEEL


Fixing accessory available also in stainless steel



ROD 120 433
560
800

Drill Ø 56
Equipped with accessories

Packing 1 pz / bag
Colour M





ROD FLOOR 70

LIGHT LOAD / FOR HANDPALLET TRUCKS

QUICK INSTALLATION WITH EXPANSION SCREW



M16
GALVANISED STEEL




-30° RESISTANT TO LOW TEMPERATURES



RF 70 **500**
1000
1500

Equipped with accessories

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M






RF 70 **2000**
3000

Equipped with accessories

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M





ROD FLOOR 100

HEAVY LOAD / FOR FORKLIFTS


HIGH RESISTANCE WITH RESIN



SF20
STAINLESS STEEL




-30°
RESISTANT TO LOW TEMPERATURES



RF 100 500
1000
1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories



RF 100 2000
3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



ROD FLOOR 120

HEAVY LOAD / FOR FORKLIFTS

HIGH RESISTANCE WITH RESIN



SF20
STAINLESS STEEL




-30°
RESISTANT TO LOW TEMPERATURES




RF 120 500
1000
1100
1500

Length 500 / 1000 / 1100 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories



RF 120 2000
2500
3000

Length 2.000 / 2.100 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



ROD FLOOR 120 DOUBLE RE


HEAVY LOAD / FOR FORKLIFTS

HIGH RESISTANCE WITH RESIN



SF20 x 450
STAINLESS STEEL






-30°
RESISTANT TO LOW TEMPERATURES



RF 120 DOUBLE 1100

Length 1100 mm
Packing unpacked on pallet
Colour M




Equipped with accessories



RF 120 DOUBLE 2500

Length 2.500 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



ROD FLOOR 120 DOUBLE

HEAVY LOAD / FOR FORKLIFTS


HIGH RESISTANCE WITH RESIN



SF20 x 450
STAINLESS STEEL




-30°
RESISTANT TO LOW TEMPERATURES




RF 120 DOUBLE 500
1000
1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories



RF 120 DOUBLE 2000
3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



GRD 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

FAST AND EASY TO INSTALL






M12
GALVANISED STEEL



GRD 90 250

Packing unpacked on pallet
Colour B M



Equipped with accessories




GRD 150

HEAVY LOAD / FOR FORKLIFTS

FAST AND EASY TO INSTALL

TÜV SÜD *






M12
GALVANISED STEEL



GRD 150 * 500
800
1150

Packing unpacked on pallet
Colour B M



Equipped with accessories



GUARD RAIL 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

QUICK INSTALLATION WITH EXPANSION SCREW



M16
GALVANISED STEEL



ALTERNATIVE FIXING
HIGH RESISTANCE WITH RESIN

SF16
STAINLESS STEEL




GR 90 500
750
1000
1500

Equipped with accessories

Length 500 mm
Packing unpacked on pallet

Length 750 / 1000 / 1500 mm
Packing 2 pz / box

Colour B M







GR 90 2000
3000
4000

Equipped with accessories

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M





GUARD RAIL 150

HEAVY LOAD / FOR FORKLIFTS

HIGH RESISTANCE WITH RESIN





SF20
STAINLESS STEEL






GR 150 500
750
1000
1500

Equipped with accessories

Length 500 / 750 /
1000 / 1500 mm
Packing unpacked on pallet

Colour B M






GR 150 2000
3000
4000

Equipped with accessories

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M





02

PVC PANELS




PVC sheets to renovate fastly and cheaply the walls of cold rooms and cold store.

Lastre in PVC per il rinnovo rapido ed economico delle pareti nelle celle e nei magazzini frigoriferi.

Plaques en PVC pour renover rapidement et a bas prix les murs de chambres froides et de depots frigorifiques.

DIFFERENT SIZES ON REQUEST



PF 300

FOAMED INSIDE

Length **3.000 / 4.000 mm**
Packing **3 pz / bag**
Colour E



PR 300

ALVEOLAR INSIDE


Length **3.000 / 4.000 mm**
Packing **3 pz / bag**
Colour E



PJ

To install with PR 300 and PF 300

Length **3.000 mm**
Packing **10 pz / box**
Colour E




PJR

To install with PR 300

NEW

Length **3.000 mm**
Packing **20 pz / bag**
Colour E



PA

To install with PR 300 and PF 300


Length **3.000 mm**
Packing **10 pz / box**
Colour E



PT

To install with PR 300 and PF 300

Length **3.000 mm**
Packing **10 pz / box**
Colour E




03 FOAMED SYSTEM


Nuovo battiscopa completamente schiumato all'interno, facile da installare e senza alcun sportello. Provvisto di alette morbide evita il passaggio di acqua e sporco. Ideale per cucine industriali, sale bianche e celle frigo.

New plinth completely foamed inside, easy to install and without flaps. Thanks to its soft fins, no dirt and no water are allowed. Ideal for industrial kitchens, cold rooms and cleanrooms.

Nuveau plinthe à ailettes souples complètement expanse, afin d'éviter le passage d'eau et des bactéries. Facile à installer, parfait pour cuisines industrielles, salles stériles et chambres froides.








PLEX 100
To install with TX12

PERFORATED


Packing **8 pz / box**
Lenght **4.000 mm**
Colour M E K



PH2I 100
To install with TH

BI MATERIAL CAP

Packing **50 pz / box**
Colour E K





PH3I 100
To install with TH

BI MATERIAL CAP

Packing **50 pz / box**
Colour E K





PH2E 100
To install with TH

BI MATERIAL CAP

Packing **50 pz / box**
Colour E K





PHTDX 100
PHTSX 100
To install with TH

BI MATERIAL CAP

Packing **100 pz / box**
Colour E K






PHJ 100
To install with TH

BI MATERIAL CAP

Packing **100 pz / box**
Colour E F K



04 HERMETIC SYSTEM


NEW BI MATERIAL CAPS

NEW CAPS ALSO TO BE USED WITH PL 100

NOUVEAUX EMBOUTS À UTILISER AUSSI AVEC PL 100

NUOVI TAPPI UTILIZZABILI ANCHE CON PL 100


NEW COLOUR STAINLESS STEEL



New sanitary system, excellent water and dirty resistant, provided with a new plinth with a large flap to make the installation easier and bi material caps to grant hermetic closing. To be used with standard hygienic corners.

Nuovo sistema profili sanitari con un battiscopa dotato di grande sportello per facilitare l'installazione. Completo di tappi in bimateriale per una chiusura ermetica. Ottima tenuta dell'acqua e dello sporco. Utilizzabile con angoli sanitari standard.

Nouveau système sanitaire, résistant à l'eau et à l'impureté, doté d'une plinthe avec une grande porte pour faciliter l'installation et accessoires injéctées en bi matériel pour une fermeture hermétique. À utiliser avec les congés d'angle standards.





CS 65


Length 4.000 mm
Packing 25 pz / box
Colour E F





CO 65


Length 4.000 mm
Packing 25 pz / box
Colour E F O





CO 100


Length 4.000 mm
Packing 25 pz / box
Colour E F O






CSP with holes
CSA


Material CSP plastic
CSA aluminium
Length 4000 mm
Packing CSP 25 pz / box
CSA 25 pz / bundle





COPF 100-65 with holes
COAF 100-65


Material COPF plastic
COAF aluminium
Length 4.000 mm
Packing COPF 100-65
25 pz / box
COAF 100-65
25 pz / bundle





COPF 40 with holes
COAF 40


Material COPF plastic
COAF aluminium
Length 4.000 mm
Packing COPF 40
25 pz / box
COAF 40
25 pz / bundle





CP 100

Length 4.000 mm
Packing 10 pz / box
Colour B E F M





CPF 100


Material plastic
Length 4.000 mm
Packing 10 pz / bag





CPT 100

Packing 40 pz / box
Colour B E F






PH 100

BIG DOOR


Length 4.000 mm
Packing 12 pz / box
Colour E F





CO3V 65

Packing 100 pz / box
Colour E F O






CO3V 100 H

BI MATERIAL CAP

To install with TH

Packing 100 pz / box
Colour E F






CO2VE 65
CO2VE 100

NEW DESIGN

Packing 100 pz / box
Colour E F O






CO2VI 65

NEW

Packing 100 pz / box
Colour E





COT 65
COT 100

Packing 100 pz / box
Colour E F O





PH2I 100

BI MATERIAL CAP

To install with TH

Packing 50 pz / box
Colour E F





PH3I 100

BI MATERIAL CAP

To install with TH

Packing 50 pz / box
Colour E F





PH2E 100

BI MATERIAL CAP

To install with TH

Packing 50 pz / box
Colour E F





PHTDX 100
PHTSX 100

BI MATERIAL CAP

To install with TH

Packing 100 pz / box
Colour E F





PHJ 100

BI MATERIAL CAP

To install with TH

Packing 100 pz / box
Colour E F K



05

STANDARD SYSTEM

NEW COLOUR STAINLESS STEEL



Basic hygienic corner with aluminium or pvc guide, with soft fins to fix it to the wall to assure hygiene. It can be used with plinth.

Angolo sanitario classico con supporto in alluminio o pvc. Provvisto di alette morbide per assicurare il fissaggio alle pareti ed evitare il passaggio dello sporco. Perfetta combinazione con il battiscopa a pavimento.

Système d'angle standard hygiénique avec un support en aluminium ou en pvc. Dispose d'ailettes souples assurant une adhésion aux murs afin d'éviter le passage de la poussiére. Peut-être utilisé avec des plinthes.


CO3V100





CS 45


Length **4.000 mm**
Packing **50 pz / box**
Colour E F





CO 65


Length **4.000 mm**
Packing **25 pz / box**
Colour E F O





CO 100


Length **4.000 mm**
Packing **25 pz / box**
Colour E F O






CSP 45


Length **4.000 mm**
Packing **50 pz / box**





COPF 100-65 with holes
COAF 100-65


Material **COPF plastic**
COAF aluminium
Length **4.000 mm**
Packing **COPF 100-65**
25 pz / box
COAF 100-65
25 pz / bundle





COPF 40 with holes
COAF 40


Material **COPF plastic**
COAF aluminium
Length **4.000 mm**
Packing **COPF 40**
25 pz / box
COAF 40
25 pz / bundle





CP 100

Length **4.000 mm**
Packing **10 pz / box**
Colour B E F M





CPF 100

Material **plastic**
Length **4.000 mm**
Packing **10 pz / bag**





CPT 100


Packing **40 pz / box**
Colour B E F





PL 100 R

Length **4.000 mm**
Packing **10 pz / box**
Colour E F






CO3V 45

To install with TM5


Packing **100 pz / box**
Colour E





CO3V 65
CO3V 100

Packing **100 pz / box**
Colour E F O







CO2VE 65

CO2VE 100

NEW DESIGN

Packing **100 pz / box**
Colour E F O






CO2VI 65

NEW

Packing **100 pz / box**
Colour E





COT 65
COT 100


Packing **100 pz / box**
Colour E F O





PL2I 100
PL3I 100

Packing **50 pz / box**
Colour E F






PHJ 100

To install with TH

BI MATERIAL CAP


Packing **100 pz / box**
Colour E F K





PL2E 100


Packing **50 pz / box**
Colour E F





PLTDX 100
PLTSX 100

Packing **100 pz / box**
Colour E F




06
SPEED SYSTEM



Hygienic corner system rapid and easy to install, available with fixing buttons on the ending caps which eliminate the need for the wall drilling.

Linea d'angolo sanitario rapida e facile da installare che elimina la foratura alle pareti sostituita da bottoni di supporto ai terminali.

Congé d'angle sanitaire facile à l'installation qui permet d'éviter la perforation de murs grâce à des embouts à pression insérés dans les espaces préforés.





CS 65


Length **4.000 mm**
Packing **25 pz / box**
Colour E F





CSP with holes
CSA

Material **CSP plastic**
CSA aluminium
Length **4.000 mm**
Packing **CSP**
25 pz / box
CSA
25 pz / bundle





CP 100

Length **4.000 mm**
Packing **10 pz / box**
Colour B E F M





CPF 100


Material **plastic**
Length **4.000 mm**
Packing **10 pz / bag**





CPT 100


Packing **40 pz / box**
Colour B E F





PL 85 R

Length **4.000 mm**
Packing **15 pz / box**
Colour E F






PL2I 85 with holes
PL2I 85 NH without holes

To install with TS5

Packing **50 pz / box**
Colour E F






PL3I 85 with holes
PL3I 85 NH without holes

To install with TS5

Packing **50 pz / box**
Colour E F






PL2E 85 with holes
PL2E 85 NH without holes

To install with TS5

Packing **50 pz / box**
Colour E F






PLTDX 85 with holes
PLTSX 85 with holes
PLTDX 85 NH without holes
PLTSX 85 NH without holes

To install with TS5

Packing **100 pz / box**
Colour E F






07 MODULAR SYSTEM



Complete system with the possibility to change the size of profiles and internal caps which suit all the solutions. Warranty and easy way to fix it. Hidden screws.

Sistema completo con possibilità di allungamento modulare dei profili e raccordi interni che si adattano a tutte le combinazioni. Garanzia e facilità di fissaggio. Viti a scomparsa.

Système modulable complet avec la possibilité de modifier la taille des profilés et des raccords internes, qui s'adapte alors à toutes les solutions. Solidité garantie et facile à fixer. Vis dissimulées.






TM


Length **4.000 mm**
Packing **40 pz / box**
Colour B E





EXM


Length **4.000 mm**
Packing **20 pz / box**
Colour B E





PLM


Length **4.000 mm**
Packing **10 pz / box**
Colour B E





COM


Length **4.000 mm**
Packing **10 pz / box**
Colour B E





BUEM


Length **4.000 mm**
Packing **10 pz / box**
Colour B E





BUM

Length **4.000 mm**
Packing **8 pz / box**
Colour A B E G H M







PLM3I

To install with TM5

Packing **50 pz / box**
Colour B E






PLM3E

To install with TM5

Packing **50 pz / box**
Colour B E






PLMT DX
PLMT SX

To install with TM5

Packing **100 pz / box**
Colour B E







COM3 V

To install with TM5

Packing **50 pz / box**
Colour B E






COM3 VE

To install with TM5

Packing **25 pz / box**
Colour B E






COMT

To install with TM5

Packing **50 pz / box**
Colour B E






BUMT 150

To install with TM5

Packing **50 pz / box**
Colour B E






BUMT 250

To install with TS7

Packing **25 pz / box**
Colour E






PLN3I 100

To install with TM5

Packing **50 pz / box**
Colour B E






PLN2E 100

To install with TM5

Packing **50 pz / box**
Colour B E





08 CHANNELS


OUR CHANNELS FIT FOR ALL OUR PLINTHS

Different sizes available with rounded sides and soft fins for a good fit to the floor. Cheap models available, see CU.

Ampia scelta tra canale grecate con bordi arrotondati e alette morbide per assicurare maggiore tenuta. Disponibili anche in versione più economica, vedi CU.

Plusieures dimensions sont disponibles, nerveurées avec des bords arrondis et des aillettes souples pour permettre une meilleure adhésion au sol. Différents modèles économiques disponibles, voir CU.








CH 60


Length **4.000 mm**
Packing **2 pz / bundle**
Colour E F





CH 70


Length **4.000 mm**
Packing **2 pz / bundle**
Colour E F





CH 80


Length **4.000 mm**
Packing **2 pz / bundle**
Colour E F





CH 100


Length **4.000 mm**
Packing **2 pz / bundle**
Colour E F





CH 120


Length **4.000 mm**
Packing **2 pz / bundle**
Colour E F





CU 40


Length **4.000 mm**
Packing **8 pz / bag**
Colour E F





CU 60


Length **4.000 mm**
Packing **4 pz / bundle**
Colour E F






CU 80


Length **4.000 m**
Packing **4 pz / bundle**
Colour E F






CU 100


Length **4.000 mm**
Packing **4 pz / bundle**
Colour E F





CL 80

Length **4.000 mm**
Packing **8 pz / box**
Colour E F





CHA 80

Packing **24 pz / box**
Colour E F

CHA 100

Packing **48 pz / box**
Colour E F





CHA 60 R 15
CHA 80 R 15

Packing **24 pz / box**
Colour E F

CHA 100 R 15

Packing **48 pz / box**
Colour E F







CLA 80 R 13

To install with CL 80


Packing **24 pz / box**
Colour E F





CHL 60
CHL 70
CHL 120


Packing **to be defined**
Colour E F





CHT 60
CHT 70
CHT 80
CHT 100
CHT 120

Packing **to be defined**
Colour E F





09

FIXER SYSTEM


New and useful system for quick assembly of cold rooms or other buildings using continuous panels.


Innovativo sistema rapido e funzionale per il montaggio di celle frigo o altre strutture a partire da pannelli in continuo.

Système nouveau, rapide et fonctionnel pour l'assemblage de chambres froides ou autres structures à partir de panneaux en continu.

NEW

ADL / ADLC TO COMPLETE THE PROJECT








FIXER 80


Length 5.800 mm
On request
Packing 2 pz / box
Colour K





FIXER 100

Length 5.800 mm
On request
Packing 2 pz / box
Colour K






SNAPFIX

To install with
FIXER 80 and FIXER 100


Length 5.800 mm
On request
Packing 4 pz / box
Colour K






FIT 80 DX
FIT 80 SX


Packing 4 pz / box
Colour K





FIT 100 DX
FIT 100 SX

Packing 4 pz / box
Colour K




NEW SYSTEM = MORE BENEFITS !

QUICK CORNER CONNECTION

LOAD-BEARING SYSTEM
with weight pressure of ceiling on wall panel


HIDDEN RIVETS INSIDE





NO LONGER WASTE OF MATERIAL
by making your door using the same panel!


HERMETIC SYSTEM



ADL
CORNER


USE
ADLC
AS DOOR FRAME

USE
ADL
AS DOOR PROFILE



A REAL REVOLUTION
You can now use
CONTINUOUS PANELS





SAVE TIME AND MONEY

Save time with our quick and easy fixing

Save money with our new modular system




10

PILLAR SYSTEM


Cheap and useful system studied for quick planning and installation of cold rooms. Perfect isolation, equipped with an internal rounded corner for easy cleaning.

Sistema economico e funzionale ideato per la rapida progettazione e gestione delle celle frigorifere. Ottimo isolamento, accessoriato con angoli arrotondati all'interno per facilitare la pulizia.

Système pratique et économique étudié pour la réalisation et la gestion de chambres froides. Isolation parfaite, équipé d'angles arrondis à l'intérieur pour faciliter le nettoyage.









PIT 80


Length **5.000 mm**
Packing **unpacked on pallet**
Colour E





PIT 120

Length **5.000 mm**
Packing **unpacked on pallet**
Colour E





GE


Material **Steel**
Length **5.000 mm**
Packing **10 pz / bundle**





FAM


Packing **200 pz / box**
Colour D





FAF


Packing **200 pz / box**
Colour D





KEY


Packing **100 pz / box**
Colour D





PIC 80


Packing **8 pz / box**
Colour E





PIC 120

Packing **4 pz / box**
Colour E



11

KERB

To install with Channels CH and CU
Monta con canale CH e CU
À installer avec les U de sol CH et CU






A large size protection system, ideal for walls and panels. Easy to install and clean. Fully equipped with corner caps and buttons.

Sistema di protezione di grandi dimensioni, ideale per muri e pannelli. Facile da installare e pulire. Completo di angolari e tappi.


Système de protection de grands dimensions, idéal pour les murs et les panneaux. Facile à installer et à nettoyer. Complété de bouchons d'angles et d'embouts.





KS 200

Length **4.000 mm**
Packing **3 pz / box**
Colour B E M






KEPF 200

To install with TB14

Packing **50 pz / box**
Colour K






KSJ 200

To install with TB14 / TF14

Packing **20 pz / box**
Colour B E






KSI 200

To install with TB14 / TF14

Packing **20 pz / box**
Colour B E






KSE 200

To install with TB14 / TF14

Packing **20 pz / box**
Colour B E






KSTDX 200
KSTSX 200

To install with TB14 / TF14

Packing **20 pz / box**
Colour B E






KSJ 200 LT

THERMAL BREAK RESISTANT

Packing **20 pz / box**
Colour K





CP 200

Length **4.000 mm**
Packing **2 pz / bag**
Colour B E M





CPF 200


Length **4.000 mm**
Packing **2 pz / bag**





CPT 200


Packing **20 pz / box**
Colour B E





KS 300

Length **4.000 mm**
Packing **1 pz**
Colour E M






KEPF 300

To install with TB20

Packing **40 pz / box**
Colour K






KSJ 300

To install with TB20 / TF20

Packing **10 pz / box**
Colour B E






KSI 300

To install with TB20 / TF20

Packing **10 pz / box**
Colour B E






KSE 300

To install with TB20 / TF20

Packing **10 pz / box**
Colour B E






KSTDX 300
KSTSX 300

To install with TB20 / TF20

Packing **10 pz / box**
Colour B E






12 ANTISHOCK SYSTEM

New bumper and plinth system produced in soft material, could be used in cold rooms, refrigerated storages and garages. Thanks to material elasticity, it features good anti-shock property.

Nuova linea di paracolpi e battiscopa in materiale morbido per celle frigo, magazzini refrigerati, garage. Ottima proprietà anti-urto grazie all'elasticità del materiale utilizzato.

Nouvelle gamme de lisses de protection et plinthes en matière souple pour les chambres froides, depots et garages. Excellente proprieté anti-choc grâce à l'élasticité du materiel utilisé.







ASP 200

SOFT

Packing **2 pz / box**
L = 4.000 mm
Colour B M






ASPT 200

SOFT


Packing **10 pz / box**
Colour B D





ASA

Material **aluminium**
Length **4.000 mm**
Packing **8 pz / bundle**






ASCO

SOFT

Packing **2 pz / box**
L = 32.000 mm
Colour A B D G M



13 DOOR FRAME


Modular system which suits different sizes and thicknesses with the possibility to build corners welding or inserting fast connections. It's equipped with spaces for resistance and for additional supports to add during the assembly. It can be covered with plates.

Sistema modulare adeguabile a differenti spessori con possibilità di effettuare angoli a saldatura o con innesti rapidi. Provvisto di passaggio per resistenza e di insenature per l'inserimento di rinforzi durante il montaggio degli accessori. Rivestibile con lamiere.


Système modulable qui s'adapte à différentes épaisseurs et dimensions, avec la possibilité de réaliser des angles à soudre ou avec des connections rapides. Equipé d'espaces pour le passage de résistances et de renforcements additionels pour le montage des accessoires. Peut-être revêti des tôles.




ROUNDED VERSION




TRIS VERSION




BIS VERSION





How to assemble DFS 130



How to assemble DF 130












DFS 130

Length **5.800 mm**
Packing **2 pz / bag**
Colour E






DFS H 130

MODEL FOR HEATER

Length **5.800 mm**
Packing **2 pz / bag**
Colour E







DFSA 130

To install with DFS 130 and DFS H 130

Packing **12 pz / bag**
Colour E K







DFC 130

NEW


Length **5.800 mm**
Packing **2 pz / bag**
Colour E





DF 130


Length **5.800 mm**
Packing **2 pz / bag**
Colour E





ADLC 60
ADLC 80
ADLC 100

Length **5.800 mm**
Packing **2 pz / bag**
Colour E K






ADL H 60
ADL H 80
ADL H 100

MODEL FOR HEATER

Length **5.800 mm**
Packing **2 pz / bag**
Colour E K






AHC

To install with ADL H 60/80/100


Material **aluminium**
Length **5.800 mm**
Packing **25 pz / bag**





DFL 110x80

Length **5.800 mm**
Packing **2 pz / bag**
Colour E






DFL 130x60

MODEL ALSO FOR HEATER


Length **5.800 mm**
Packing **2 pz / bag**
Colour E





DFM 20


Length **5.800 mm**
Packing **4 pz / bag**
Colour E





DFM 50


Length **5.800 mm**
Packing **2 pz / bag**
Colour E





DFM 60


Length **5.800 mm**
Packing **2 pz / bag**
Colour E





DFM 100

Length **5.800 mm**
Packing **2 pz / bag**
Colour E






DCF

To install with TK 100 and TM 12


Length **5.800 mm**
Packing **2 pz / bag**
Colour E





DCCF

Length **5.800 mm**
Packing **25 pz / bag**
Colour **various**





DFF

To install with DF 130

Length **5.800 mm**
Packing **25 pz / bag**
Colour E







DCP
DHC

To install with DF 130 and DFSH 130

Material **DCP plastic Ral 9010**
DHC aluminium
Length **5.800 mm**
Packing **25 pz / bag**





DJF DX
DJF SX


Packing **10 pz / box**
Colour E





K1

Material **galvanized steel**
Packing **10 pz / bag**





DC DX
DC SX


Packing **10 pz / box**
Colour E





DCA


Packing **10 pz / box**
Colour D





DCAS

Packing **20 pz / box**
Colour D






14 DOOR LEAF

Door profiles for continuous panels and foamed panels. Available in plastic to ensure thermal break.


Linea di profili porta per pannelli in continuo e schiumati. Disponibili in plastica per garantire l'isolamento termico.

Gamme de profilés pour portes frigorifiques à utiliser avec panneaux isolants réalisés par injection en continu de mousse polyuréthane. Ils sont disponibles en matière plastique pour garantir l'isolation thermique.






ADLA 60/80/100



SQ ADL 60/80/100






ADL 60
ADL 80
ADL 100

To install with
TM 12 - DPG 90 - DPGW 90
DPGH 90 - DFG 90 - ADPG 90


Length **5.800 mm**
Packing **2 pz / bag**
Colour E K





ADLA 60
ADLA 80
ADLA 100


Packing ADLA 60 **28 pz / box**
ADLA 80 **20 pz / box**
ADLA 100 **16 pz / box**
Colour K





SQ ADL 60
SQ ADL 80
SQ ADL 100


Material **aluminium**
Packing **20 pz / box**





DL 70


Length **5.800 mm**
Packing **4 pz / box**
Colour E K






DL 90

Length **5.800 mm**
Packing **2 pz / bag**
Colour E K






VANO 100

MODEL FOR HEATER

Length **5.800 mm**
Packing **2 pz / bag**
Colour E K






VHC

To install with VANO 100


Length **5.800 mm**
Packing **24 pz / bag**
Colour K





DW 60

Length **4.000 mm**
Packing **10 pz / bag**
Colour E K






DW 70


Length **4.000 mm**
Packing **10 pz / bag**
Colour E K





DW 80


Length **4.000 mm**
Packing **10 pz / bag**
Colour E K





DW 100

Length **4.000 m m**
Packing **10 pz / bag**
Colour E K





15 GASKETS

Linea di guarnizioni porta facili da installare. Disponibili sia per basse temperature che per temperature normali.

Complete range of door gaskets. Easy to install and available for both negative and normal temperatures.

Complète gamme de joints du périmètre-porte.
Facile à installer et disponible pour les temperatures negatives et positives.


NEW CORNER FOR GASKETS

NEW
DPG 90 CLICK

KOLDENE

K

- Suitable for contact with food in accordance with EU and FDA regulations
- No EPDM
- Odorless
- 100% Recyclable
- PVC free
- Phthalate free
- High physical-chemical properties
- Working temperatures: from -50° to +110°
- Excellent elastic memory over time
- Flexible at low temperatures
- Excellent thermal endurance
- Waterproof
- Does not stain








DPG 70

K

Packing 1pz / reel
L 80.000mm
Colour D






DPG W 70

K

Packing 1 pz / reel
L 80.000mm
Colour D





ADPG 70

To install with DPG 70
DPG W 70


Packing 50 pz / box
Colour D





DFG 70

Length 3.800 mm
Packing 12 pz / box
Colour D






DPG 90

K

Packing 1 pz / reel
L 50.000 mm
Colour D






DPG W 90

K

Packing 1 pz / reel
L 60.000 mm
Colour D






DPG H 90

K

Packing 1 pz / reel
L 60.000 mm
Colour D






DPG 90 CLICK

K

NEW

Length 4.000 mm
Packing 6 pz / box
Colour D







ADPG 90

To install with DPG 90
DPG W 90 - DPGH90
DPGH 90 - DPG 90 CLICK


Packing 40 pz / box
Colour D





DFG 90

Length 3.800 mm
Packing 6 pz / box
Colour D






VELA

NOT FOR STANDARD GUIDES

Length 3.700 mm
Packing 6 pz / box
Colour D






PLANE

NOT FOR STANDARD GUIDES

Length 4.000 mm
Packing 15 pz / box
Colour D



16

ACCESSORIES FOR PANEL



Profiles and moulded accessories to complete the panel finish. Practical for cleaning assuring good hygiene for the food industry.

Profilati e stampati per completare la finitura di pannelli. Pratici per la pulizia e l'igiene nel settore alimentare.

Profilé et pièces injectés pour la finition des panneaux. Utiles pour assurer le nettoyage et l'hygiène dans le domaine alimentaire.



NEW BREAKING RESISTANCE **2.099 KG**




BAR 15

Breaking resistance with 660 Kg self-tapping screw Ø 6,3 mm

*

Length **on request**
Packing **boxes**
Colour E






AC 40X40

Breaking resistance for meter 6033 Kg

*


Length **4.000 mm**
Packing **4 pz / bundle**
Colour E





AC 60X30


Length **4.000 mm**
Packing **2 pz / bundle**
Colour E





AC 60X40

Length **4.000 mm**
Packing **2 pz / bundle**






AC 70X40

Breaking resistance for meter 6217 Kg

*


Length **4.000 mm**
Packing **2 pz / bundle**
Colour E






ACT 70


Packing **100 pz / box**
Colour E





MC 50


Length **4.000 mm**
Packing **20 pz / box**
Colour E





L 35x35


Length **4.000 mm**
Packing **40 pz / bundle**
Colour E





L 120x60


Length **4.000 mm**
Packing **4 pz / bundle**
Colour E





L 150x150


Length **4.000 mm**
Packing **2 pz / bundle**
Colour E





SH 40


Length **4.000 mm**
Packing **32 pz / box**
Colour E





SH 60

Length **4.000 mm**
Packing **25 pz / box**
Colour E






CC

NEW

Length **4.000 mm**
Colour E






CCT

NEW


Packing **to be defined**
Colour E





R 60

Packing **300 pz / box**
Colour E F






R 90

Available with hole Ø 14/20 mm

Packing **150 pz / box**
Colour E F






M 8
M 10
M12

Medium breaking resistance 550 Kg
Medium breaking resistance 520 Kg
Medium breaking resistance 665 Kg

*


Packing **300 pz / box**
Colour E F





M 8H
M 10H
M 12H

Packing **300 pz / box**
Colour E F






M 10 SI

STEEL INSERT

Medium breaking resistance 2.099 Kg

*

Packing **300 pz / box**
Colour E F





DAD 12

Packing **1.000 pz / box**
Colour **White**





BAR 12


Length **500 mm**
Packing **100 pz / box**
Colour **White**





RON 12

Packing **1000 pz / box**
Colour **White**



* **Loading tests available on request**


17 TRIMS

Complete range of profiles and accessories used to fix and to finish panels.

Gamma completa di profili e accessori per l'incastro e la finitura dei pannelli.

Gamme complète de profilés et d'accessoires pour le joint et la finition de panneaux.








PCC


Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour E





PCB


Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour **White**





PCS


Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour E





PDB


Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour E





PCI


Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour E





PCO

Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour E






PCC HY

NEW

Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour E






PCB HY

NEW

Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour E



18

T SUSPENSION

ALUMINIUM PROFILES

CERTIFICATED
BREAKING RESISTANCE

T and Omega profiles for ceiling suspension. White painted aluminium profiles, fire resistance and equipped with stainless steel nuts covered in plastic to ensure thermal bridge. Two solutions available, one light and one heavy.

Profili a T e Omega per soffitto a sospensione. Realizzati in alluminio verniciato bianco, resistenti al fuoco e provvisti di dadi in acciaio ricoperti in plastica che fungono da taglio termico. Disponibili 2 soluzioni, una leggera e una pesante.


T et Omega profilés pour la suspension de plafond. Blanc laqué profilés en aluminium, résistants au feu et équipés d'ecrous en acier inox recouverts de plastique pour garantir le pont thermique. Deux solutions disponibles, une légère et une lourde.






T 85 *


Length **4.000 mm**
Packing **6 pz / bundle**
Colour E F






T 130 *

Length **4.000 mm**
Packing **4 pz / bundle**
Colour E F





OME 110 *

Length **4.000 mm**
Packing **4 pz / bundle**
Colour E F





OME 150 *

Length **4.000 mm**
Packing **2 pz / bundle**
Colour E F





CEBES 100 *

Length **4.000 mm**
Packing **5 pz / bundle**
Colour E F





CEBES 130 *


Length **4.000 mm**
Packing **3 pz / bundle**
Colour E F





OMES S STEEL INSERT PLASTIC COATING


Packing **50 pz / box**
Colour E





OMES L STEEL INSERT PLASTIC COATING


Packing **50 pz / box**
Colour E





SJ8
SJ10
SJ12

Material **galvanized steel**
Packing **50 pz / box**



* **Loading tests available on request**

19


BUMPER 30


Small bumper to be used on refrigerated cabinets and check-outs, easy set up for installing profiles on pvc guide, available in soft or rigid pvc.

Paracolpi di piccole dimensioni ideale per vetrine refrigerate e check outs, facile da installare con rapido fissaggio tramite incastro su guida in pvc, disponibile in materiale rigido o morbido.

Profilé anti-choc de petits dimensions idéal pour les vitrines réfrigérées et les compteurs, facile à installer avec fixation rapide par le support en pvc disponible en materiel dur ou souple.








BU 30

Length **4.000 mm**
Packing **22 pz / box**
Colour A B M D G H N






BU 30 flex

Minimum radius: 60 mm


Packing **2 pz / box**
L = 22.000 mm
Colour A B M D F G H I N





BUPF 30


Length **4.000 mm**
Packing **22 pz / box**





BUT 30


Packing **100 pz / box**
Colour A B M D F G H I N





BUA 30

Packing **50 pz / box**
Colour A B M D F G H I N



For some colours minimum quantity per order is required

20


BUMPER 50

Highly resistant against impacts, linear but functional design, high resistant, easy to install and equipped with accessories.

Profilo paracolpi dal design semplice e funzionale. Resistente, facile da installare e completo di accessori.

Profilé anti-choc avec un design simple et fonctionel. Résistant, facile à installer et fourni entièrement équipé.








BU 50

Length **4.000 mm**
Packing **14 pz / box**
Colour A B M D G H N






BU 50 flex

Minimum radius: 250 mm


Length **4.000 mm**
Packing **14 pz / box**
Colour A B M D F G H I N





BUPF 50

Length **4.000 mm**
Packing **14 pz / box**





BUT 50


Packing **50 pz / box**
Colour A B M D F G H I N





BUA 50

Packing **50 pz / box**
Colour A B M D F G H I N



For some colours minimum quantity per order is required

21


BUMPER 80

Without guides, this profile is directly fixed to the wall through hidden screws covered by a specific item available in various colours.

Articolo paracolpi a fissaggio diretto alla parete tramite viti nascoste da un apposito profilo disponibile in vari colori.

Profilé anti-choc à fixation directe aux murs grâce à des vis cachées par un profilè disponible en plusieurs couleurs.








BU 80


Length **4.000 mm**
Packing **6 pz / box**
Colour B N





BUC 80


Length **60 mt / reel**
Packing **cardboard reel**
Colour A B M D G H N





BUT 80


Packing **50 pz / box**
Colour B N





BUA 80


Packing **50 pz / box**
Colour B N





BUR 80

Packing **25 pz / box**
Colour B N



22

BEND 80


Unique in range and shape,
a forceful choice between
convenience and stylish design.
Corner caps are not necessary.

Articolo unico nel suo genere,
compromesso tra praticità
e design elegante. Si adatta alla
parete senza l'ausilio di raccordi.

Article unique en son genre,
parfait compromis entre la praticité
et le design élégant. Il s'adapte
au mur sans avoir besoin d'embouts
supplémentaires.

PATENTED
BREVETTATO








BES 80
With double-sided tape
Minimum radius: 40 mm


Packing **1 pz / box**
L= 25.000 mm
Colour I
+ colored strip
A I





BED 80 with tape
BE 80 with screws
Minimum radius: 40 mm
To install with BEC 80

Packing **1 pz / box**
L = 25.000 mm
Colour I





BER 80
To install with BEC 80


Length **4.000 mm**
Packing **12 pz / box**
Colour B K





BEC 80


Length **60 mt / reel**
Packing **cardboard reel**
Colour A B E G
I






BEST 80
To install with TM5


Packing **50 pz / box**
Colour B I K





BEJ 80
With double- sided tape

Packing **50 pz / box**
Colour I



23


BUMPER SUPERFLEX 80


New flexible model of classic BU80, produced in coextruded material, features versatility and elegance, easy to install and shockproof.

Nuovissima versione del classico BU 80, prodotto in materiale coestruso, coniuga versatilità ed eleganza alle immancabili doti tecniche quali facilità di montaggio e resistenza all'urto.

Nouvelle version de classique BU80, produit en matériel co-extrudé, mélange polyvalence et élégance aux caractéristiques techniques tels que la facilité à l'assemblage et la résistance aux chocs.







SFB 80

Packing **1 pz / box**
L = 10.000 mm
Colour I





SFRB 80


Length **4.000 mm**
Packing **5 pz / box**
Colour B





SFBC

Packing **2 pz / box**
L = 40.000 mm
Colour A G I






SFBT80

To install with TM5

Packing **50 pz / box**
Colour B I



24


BUMPER MODULAR

New modular antischock profile with hidden screws. You can enlarge the protecting surface by adding simple profiles, economic and easy to clean.

Nuovo profilo paracolpi modulare con viti a scomparsa. Possibilità di aumentare la superficie di protezione con l'aggiunta di semplici profili, economico e facile da pulire.

Nouveau profilé modulable anti-choc avec attaches cachées. Vous pouvez élargir le profilé et la surface protégée en ajoutant simplement des profilés, économique et facile à nettoyer.








BUM

Length **4.000 mm**
Packing **8 pz / box**
Colour A B M E G H





TM


Length **4.000 mm**
Packing **40 pz / box**
Colour B E





EXM

Length **4.000 mm**
Packing **20 pz / box**
Colour B E






BUMT 150

To install with TM5

Packing **50 pz / box**
Colour B E






BUMT 250

To install with TS7

Packing **25 pz / box**
Colour E



For some colours minimum quantity per order is required


25 WALL PROTECTION

New bumper without guides. Thanks to its big size and resistance it is ideal for protection of industrial spaces. Fixed caps with hidden screws covered by specific buttons.

Nuovo profilo antiurto senza guida. La sua ampiezza e resistenza lo rende ideale per la protezione di ambienti industriali. Terminali fissati con viti nascoste da appositi bottoni.

Nouveau profilé anti-choc sans besoin d'une base à fixer. Sa mesure large et sa résistance en font le profilé parfait pour la protection des espaces industriels. Embouts fixés avec des vis cachées grâce à des bouchons spécifiques.









WP 100


Length **4.000 mm**
Packing **8 pz / box**
Colour B E F





WP 150

Length **4.000 mm**
Packing **4 pz / box**
Colour B E M






WPC

To install with WP 100 / WP 150

Length **4.000 mm**
Packing **16 pz / box**
Colour A B D E F G H M






WPT 100

To install with TM5

Packing **50 pz / box**
Colour B E F






WPA 100

To install with TS9

Packing **20 pz / box**
Colour B E






WPT 150

To install with TM5

Packing **50 pz / box**
Colour B E






WPA 150

To install with TS9

Packing **20 pz / box**
Colour B E






WPCS

To install with WP 100 / WP 150

Length **4.000 mm**
Packing **8 pz / box**
Colour A B M D E F G H I






WPTS 100

To install with TS9

Packing **20 pz / box**
Colour B E






WPAS 100

To install with TS9

Packing **20 pz / box**
Colour B E






WPTS 150

To install with TS9

Packing **20 pz / box**
Colour B E






WPAS 150

To install with TS9

Packing **20 pz / box**
Colour B E








WALL HUG 1000 2000 3000 4000

Length **1000/2000/3000/4000**
Packing **unpacked**
Colour M









WALL BFLEX 1000 2000 3000 4000

Length **1000/2000/3000/4000**
Packing **unpacked**
Colour M



WALL BFLEX MODULAR

Packing **unpacked**
Colour M





26


BUMPER 150

Soft but strong material.
Innovative and simple design.

Profilo antiurto in materiale morbido ma indistruttibile. Design semplice e versatile.

Profilé anti-choc réalisé avec un matériel souple et rigide indestructible.
Design simple et innovant.








BU 150


Packing **1 pz / box**
L = 25.000 mm
Colour I L





BUS 150

Length **4.000 mm**
Packing **6 pz / box**
Colour B






MU 20

To install with BUS 150


Packing **1 pz / box**
L = 48.000 mm





BUPF 150

Length **4.000 mm**
Packing **6 pz / bag**






BUT 150

To install with TH

Packing **50 pz / box**
Colour B I L






BUA 150


To install with TH

Packing **20 pz / box**
Colour B I L



27

BUMPER FLOOR



Spacer floor bumper to protect refrigerated cabinets and walls, fully equipped with corners and accessories necessary to assemble it.

Sistema di protezione distanziale a terra di banchi frigo e pareti, completo di curve e provvisto di accessori.

Système de protection au sol, épaisseur pour les vitrines réfrigérées et murs, pleine de courbes et équipé d'accessoires.






FB 80

ANTISHOCK MATERIAL INSIDE


Length **4.000 mm**
Packing **6 pz / box**
Colour B





FBAF 80

Material **aluminium**
Length **4.000 mm**
Packing **6 pz / box**






FBT 80

Equipped with screws

Material **aluminium**
Packing **40 pz / box**






FBA 80

Equipped with screws

Material **aluminium**
Packing **8 pz / box**






FBL 80

Equipped with screws


Material **stainless steel**
Packing **20 pz / box**





FBS 80


Material **stainless steel**
Packing **20 pz / box**





FR


Material **chemical anchor**
Packing **1 pz / box**





FBR

Material **steel**
Length **400 mm**
Packing **to be defined**



NEW

LIGHT LOAD / FOR HANDPALLET TRUCKS




S12
GALVANISED STEEL



FB 90 2000

Length **2000 mm**
Packing **to be defined**
Colour B






FBCO 90

Packing **2 pz / box**
Colour B

Equipped with accessories






FBT 90

Packing **2 pz / box**
Colour D


Equipped with accessories






FBA 90

Packing **2 pz / box**
Colour B D










28 WHEEL SYSTEM

Complete system for sliding glass doors of refrigerated displays. Shockproof pvc profiles equipped with accessories to ensure a good insulation and consequently a considerable energy saving. A lower rail is installed to allow the easy sliding opening and closing of doors.

Sistema completo per le porte scorrevoli a vetro degli armadi a muro. Profili realizzati in pvc antiurto completi di accessori che assicurano un buon isolamento e di conseguenza un notevole risparmio energetico. Dotato di sistema di scorrimento che rende agevole l'apertura e la chiusura delle porte.

Système complet pour les portes coulissantes en vitre de vitrines réfrigérées. Profilés en pvc antichoc équipés d'accessoires pour assurer une bonne isolation et donc une économie d'énergie considérable. A rail inférieur est installé pour permettre le coulissement pratique de l'ouverture et de la fermeture des portes.








SDF 20


Length **4.000 mm**
Packing **5 pz / box**
Colour B D





SDF 20 SHORT


Length **4.000 mm**
Packing **5 pz / box**
Colour B D





SDW 20


Length **4.000 mm**
Packing **20 pz / box**
Colour B D





SDH 20


Length **4.000 mm**
Packing **12 pz / box**
Colour B D





SDHG

Packing **60 mt reel**
Colour B D





RAIL 2

NEW


Material **aluminium**
Length **3.000 mm**
Packing **10 pz / bundle**






WHEEL

Material **steel**
Packing **100 pz / box**






SQ SDF

To install with SDF

Materia **aluminium**
Packing **100 pz / box**







SDW COP

To install with SDW 20 and SDH 20

Packing **100 pz / box**
Colour B D





BR 4.5
BR 9

Packing **BR 4.5** 1 pz / reel L 600 mt
BR 9 1 pz / reel L 225 mt
Colour D



REFLEX / ALWAYS THE BEST **PROTECTION PROFILES**

RESISTANT AND FLEXIBLE

MPM FLEXIBLE PROTECTIONS





T +39 049 9301773 - info@mpmpvc.com - **mpmprotections.com**

Fixing accessories



TH
ABS.
100 Pcs./ bag.
RAL 9010 / 9002 / 9006 / 7040 / 7024 / Transparent.



TX12
ABS.
100 Pcs./ bag.
RAL 7035 / 9010



TS5
Hole required Ø 5
White nylon.
250 Pcs. / bag.



TB14
Hole required Ø 4.
Steel / aluminium. / RAL 9010
500 Pcs. / box.



TS7
Hole required Ø 5.
White or grey nylon.
250 Pcs. / bag.



TB20
Hole required Ø 5.
Steel / aluminium.
500 Pcs. / box.



TS9
Hole required Ø 5.
White or grey nylon.
250 Pcs. / bag.



TF14
Hole required Ø 5.
Aluminium.
500 Pcs. / box.



TM5
Hole required Ø 8.5
Neutral polyethylene.
100/500 Pcs. / bag.



TF20
Hole required Ø 6.5.
Aluminium.
500 Pcs. / box.



TM12
Hole required Ø 20.
PE, RAL 9010.
100 Pcs. / bag.



TK100
Hole required Ø 5 and 20.
Steel screw. Packing on demand.

Colours

A	B	D	E	F	G	H	I	K	L	M	N	O
RED RAL 3002	GREY RAL 7040	BLACK RAL 9005	WHITE RAL 9010	WHITE RAL 9002	BLUE RAL 5005	GREEN RAL 6029	SILVER RAL 9006	LIGHT GREY RAL 7035	DARK GREY RAL 7024	LIGHT YELLOW RAL 1018	WHITE RAL 9003	STAINLESS GREY RAL 9023

- Cleaner resistant
- Quick assembly
- Shockproof
- Cheap
- Long resistance
- Good waterproof
- Easy to clean
- Good thermal insulation
- Non toxic
- Class V0 self-extinguishing fire resistance

YES NO

All pictures are for illustrations purposes only. The company reserves the right to make changes in dimensions, colours, material and packaging without prior notice.

MADE IN
ITALY



mpm
HYGIENIC PROFILES

M.P.M. s.r.l.
Via Europa 2
35010 Fratte
di S. Giustina in Colle
Padova · Italy

T +39 049 9301773
F +39 049 9300427
info@mpmpvc.com
mpmpvc.com

FEBRUARY 2022